



HAIN
NATURBÖDEN





AMBIENTE / Lava oak / 0400 Transparent, oiled / brushed

CRAFTED PARQUET FROM UPPER BAVARIA

A TRUE PIECE OF NATURE.





THE MANUFACTORY FOR SINGLE STRIP OILED PARQUET PLANKS

We at HAIN believe in combining modern technology, our many years of experience and high-quality design. Our technology creates the conditions – our know-how brings the quality. In our factory in the Bavarian town of Rott am Inn, modern production facilities meet a very experienced and well-trained staff. This is how our single strip parquet is being crafted, bringing a touch of nature directly into your home. We are one of few companies that produce natural flooring from the log to the finished plank in-house. A self-developed, very gentle process brings the best out of the naturally grown wood into our products. Our pioneering role

can be seen, for example, in our special surface structures and our numerous oxygen-hardened oil surfaces. However, our natural wood drying process, which gives the planks all the time they need to mature, also speaks for the innovative strength of our traditional company. HAIN is a company that acts responsibly and has deep roots in our region; we feel equally committed to our customers, our employees and to our environment. This is why all resources of wood which we process originate exclusively from sustainably cultivated forests. This way, we produce tough and exclusive natural floors of lasting value in craftsmen quality.





AMBIENTE / Used oak / 6560 Terra brown, oiled / vintage




EVERY
PLANK
IS ONE
OF A
KIND



PRODUCT ADVANTAGES

The high-quality, triple-layered construction with vertical growth rings guarantees the high shape stability and durability of the HAIN planks. The 4-mm-thick wear layer is connected to a spruce core layer using a special pressing technique. Different installation heights are available (11 mm, 15 mm, 17 mm and 20 mm on request). Planks with a thickness of 11 mm are in principle permanently bonded in place (full surface bonding) and are ideal for renovations and commercial areas. Thanks to the stable tongue and groove connection, planks with a thickness of 15 mm or more can either be bonded permanently in place or laid in a floating installation, if necessary. The surface can naturally be sanded down multiple times.



Now new for Fino 90:


UNIZIP[®]
PATENTED TECHNOLOGY



Made in Germany



Warranty according to HAIN warranty conditions



SPECIAL OIL SURFACE

The natural oil finish perfects every single plank and gives HAIN flooring its distinctive character. Before oiling, the wood is gently heated, opening up the pores so that the oil can be absorbed more effectively. HAIN's natural oil (free from coatings or waxy substances) is applied lightly

and evenly to the wood. The planks are then placed in special drying racks and given plenty of time for the oil to absorb and air dry. Meanwhile, the wood retains its natural beauty and breathability.

CRAFTSMANSHIP MEETS MODERNITY

Oiled natural flooring has an irresistible quality: They become more elegant and beautiful from year to year – a big plus for sustainability! But it's not only the look that counts: The technical features of HAIN natural flooring are also competitive.



NATURALLY DRIED WOOD

A special process of natural wood drying brings out the qualities of the wood to their best advantage.



DURABLE

Thanks to our complex and gentle finishing processes, the floors are long-lasting and durable – in almost all areas of application.



HIGH QUALITY NATURAL OIL

Each HAIN plank is oiled and oxidatively dried several times – this makes the floor particularly stable and accentuates the natural look of the wood.




Wood surface "Raw"



Film-forming surface "Varnishes/Waxes"



HAIN natural surface "Oiled"



PROVIDES HEALTHY AIR IN YOUR HOME

The naturally finished wood automatically compensates for fluctuations in temperature and humidity, thus having a positive effect on the room climate.



EASY TO MAINTAIN

Special soap and care balm specially adapted to the floor ensure easy maintenance.







AMBIENTE/Lava oak /0400 Transparent, oiled/brushed



PRODUCT RANGE

You have the choice – and the certainty of getting an absolutely unique wooden floor for your home. Following the principle of a modular system, a variety of formats are available, each in five different gradings and 27 different wood colours (divided into five colour families). The grading describes the character of the wood: from a very rustic look with many knots and cracks to a more harmonious overall impression.



COLOURS

NATURAL



0400
Transparent, oiled



4900
Raw look, oiled



7610
Pearl gold, oiled

WHITE



1310
White, oiled



1330
Light white, oiled



1340
Extra white, oiled



4010 (W)
Cashmere white, oiled



4280
Off-white, oiled



6500
Ivory white, oiled



7970 (W)
Lyed-look white, oiled

GREY



2250 (G)
Ice grey, oiled



2260
Pearl grey, oiled



2350 Titanium
blue/grey, oiled



2800
Diamond grey, oiled



2360
Carbon grey, oiled



6530
Slate grey, oiled



6700 (G) Cashmere
grey, oiled (planed)

DARK



0400 (D)
Transparent, oiled



4900 (D)
Raw look, oiled



2590 (D)
Black, oiled



4480 (D)
Mocha brown, oiled



6560 (D)
Terra brown, oiled

BROWN



0400 (B)
Transparent, oiled



1330 (B)
Light white, oiled



4020 (B)
Walnut brown, oiled




4490 (B)
Cappuccino, oiled



6510 (B)
Tobacco, oiled




FORMATS



4 200 x 300 / 260 / 220 x 17 mm

CASTELLO



3 650 x 300 / 260 / 220 x 17 mm

VIALE



2 400 x 245 x 15 mm

AMBIENTE



2 200 x 195 x 15 / 11 mm

PRIMUS




2 200 x 160 x 15 mm



631 x 119 x 11 mm

FINO 55



714 x 119 x 11 mm

FINO 90

WOODS



Oak

Oak has optimal flooring properties, thanks to its low swelling and shrink-ing behaviour and high indentation resistance.

Smoked Oak

Fully smoked to resemble extremely rare and valuable bog oak.

Smoked maroon oak

Natural oak refined by light smoking.



Ash

With similar desirable flooring characteristics to oak, ash fulfils special design preferences on the light end of the colour spectrum.



Larch

The only softwood in the HAIN product range. In our Alpine region, larch combined with natural oils has created a pleasant atmosphere in living areas for generations



Walnut

Walnut, the American wood, is only used in the Perfect and Classic gradings.

GRADINGS

1



1 Perfect

Wood with a calm appearance and mild variations in colour and structure. Only a few small, intergrown knots. Wood filling possible for levelling of knots. Ingrowths and sapwood are possible in walnut wood.

2




2 Classic

Wood with a lively appearance and moderate variations in colour and structure. Filled knots up to a diameter of 40 mm are possible. This grading features a larger amount of intergrown knots up to 40 mm in size. Wood filling is possible. Ingrowths and sapwood are possible in walnut wood.

CLASSICO (only with Castello planks): Wood with a lively appearance and moderate variations in colour and structure. The Castello Classico grading features dominant knots (incl. over 40 mm). Wood filling is possible. Due to the larger plank format, there are greater variations in colour between the individual parquet planks than with smaller plank formats.

3



3 Vario

Wood with a very lively appearance and strong variations in colour and structure. Featuring large knots, heartwood and strong colour variations. Larger filling of knots and cracks. Vario in larch wood exhibits distinct colour variations between the individual parquet planks.

4



4 Lava

Wood with a very rustic appearance and strong variations in colour and structure. Featuring large knots, open cracks, heartwood and strong colour variations. Larger filling of knots and cracks. The rustic appearance of the Lava grading is intentional, and therefore not grounds for complaint. Due to the exposed wood, the relative humidity in the room must be kept between 40 and 55% – especially in the winter.

RUSTICO (only with Castello planks): Wood with a very rustic appearance and strong variations in colour and structure. The Castello Rustico grading features large knots, heartwood and sapwood. Due to the larger plank format, knots and cracks feature more heavily. Characteristic drying cracks up to 30 cm in length are possible at the head end.

5



5 Used

Wood with a rustic appearance and strong variations in colour and structure. Knots and drying cracks are elevated and filled to accentuate the character of the old wood. The special "Used" grading is only available for Ambiente natural oak planks with a vintage surface structure. Used grading only with a vintage surface structure and natural variants in the wear layer.

SURFACE STRUCTURES



Sanded smooth



Brushed



Rough grain




Planed
with intentional track marks




Vintage
wood with a vintage look


BEVEL VARIANTS




O = no bevel




X = large bevel



M = micro-bevel



XL = large, irregular bevel
(only for “used grading”
with vintage surface structure)



L = light bevel (only for Fino 90/Fino 55)





VIALE/Vario oak/4900 Raw look, oiled/brushed



CASTELLO

Just as the name implies: CASTELLO encompasses all the château plank formats in the HAIN product range. With their impressive 4 200 and 3 650 mm lengths, CASTELLO planks show true greatness and bring out the naturalness of wood in a particularly

authentic and expressive way – with the special HAIN oil surface like all HAIN floors. The three different widths ensure a balanced and yet exciting installation design.



2 lengths mixed: 4 200 mm, 3 650 mm

3 widths mixed: 300 mm, 260 mm, 220 mm

Thickness: 17 mm

Woods: Oak

Two additional gradings:

Due to the size of the parquet planks, Classico and Rustico have more colour differences, larger knots and a structure coarser than standard gradings

Classic and Rustic

Surface structure: brushed, sanded

Bevel: Large bevel on the long side,
light bevel on the head end

Optional:

Fixed length up to 4 200 mm

Fixed width 300 mm / 260 mm



CASTELLO / Rustico oak / 0400 Transparent, oiled / brushed




CASTELLO/Rustico oak/0400 Transparent, oiled/brushed

SURFACE SELECTION – CASTELLO



Classico oak
0400 Transparent, oiled



Classico oak
4900 Raw look, oiled



Classico oak
1310 White, oiled



Rustico oak
2360 Carbon grey, oiled



Classico smoked oak
0400 Transparent, oiled



Classico smoked oak
4480 Mocha brown, oiled



Rustico maroon oak
0400 Transparent, oiled



Classico maroon oak
1130 Light white, oiled




Classico maroon oak
4490 Cappuccino, oiled

VIALE

With a length of 2 400 mm, our VIALE floors are the alternative to the CASTELLO château planks. The special width (245 mm) makes VIALE the perfect choice for all those who want an exceptional flooring

with that certain something. Without a bevel on the head end, VIALE creates the impression of continuous planks. 14 high-quality oak colours in three gradings are available.



Length: 2 400 mm

Width: 245 mm

Thickness: 15 mm

Woods: Oak

Gradings: Perfect, Classic, Vario

Surface structure: brushed

Bevel: Micro-bevel on the long side

Optional:

large bevel on the long side, light bevel on the head end

micro-bevel on the long side, micro-bevel on the head end



VIALE/Vario oak/4900 Raw look, oiled/brushed

SURFACE SELECTION – VIALE



Perfect oak
0400 Transparent, oiled



Classic oak
0400 Transparent, oiled



Classic oak
4900 Raw look, oiled



Vario oak
0400 Transparent, oiled



Classic oak
1310 White, oiled



Classic oak
1330 Light white, oiled



Classic oak
4280 Off-white, oiled



Classic oak
2260 Pearl grey, oiled



Classic oak
2360 Carbon grey, oiled

SURFACE SELECTION – VIALE



Classic oak
6700 Cashmere grey, oiled (planed)



Perfect/Classic smoked oak
4900 Raw look, oiled



Perfect/Classic smoked oak
4480 Mocha brown, oiled



Classic maroon oak
0400 Transparent, oiled



Classic maroon oak
1330 Light white, oiled



Vario maroon oak
4490 Cappuccino, oiled



Perfect/Classic smoked oak
0400 Transparent, oiled





VIALE/Vario oak / 4900 Raw look, oiled / brushed

AMBIENTE

With AMBIENTE, variety sets the tone – lovers of wood flooring can choose from 27 different colours. The classic single strip planks are the evergreen of floor design, and with their format of 2 200 x 195 mm they're both impressive and easy to handle.

AMBIENTE planks also feature an elegant HAIN oil surface, which is applied several times and allowed to dry in the air in ample peace and quiet – true craftsmanship!



Length: 2 200 mm

Width: 195 mm

Thickness: 15 mm

Woods: Oak, larch

Gradings: Perfect, Classic, Vario, Lava , Used

Surface structure: brushed

Bevel: Micro-bevel on the long side

Optional:

Thickness: 11 mm

Wood: larch (width 185 mm)

Mixed grading

Surface structure: planed, rough grain,
sanded smooth, naturally dried

large bevel on the long side, light bevel on the head end
micro-bevel on the long side, micro-bevel on the head end



AMBIENTE / Used oak / 6560 Terra brown, oiled / vintage

SURFACE SELECTION – AMBIENTE



Perfect oak
0400 Transparent, oiled, brushed



Classic oak
0400 Transparent, oiled, brushed



Classic oak
4900 Raw look, oiled, brushed



Classic oak
7610 Pearl gold, oiled, brushed



Vario oak
0400 Transparent, oiled, rough grain



Vario oak
0400 Transparent, oiled, brushed



Lava oak
0400 Transparent, oiled, brushed



Used oak
0400 Transparent, oiled, vintage



Perfect oak
4280 Off-white, oiled, brushed

SURFACE SELECTION – AMBIENTE



Classic oak
1310 White, oiled, brushed



Classic oak
1340 Extra white, oiled, brushed



Vario oak
1310 White, oiled, brushed



Classic oak
1330 Light white, oiled, brushed



Perfect oak
6700 Cashmere grey, oiled, planed




Perfect oak
2800 Diamond grey, oiled, brushed



Classic oak
6700 Cashmere grey, oiled, planed



Classic oak
2250 Ice grey, oiled, brushed




Classic oak
2360 Carbon grey, oiled, brushed

SURFACE SELECTION – AMBIENTE




Vario oak 2350
Titanium blue/grey, oiled, brushed



Lava oak
2260 Pearl grey, oiled, brushed



Used oak
2800 Diamond grey, oiled, vintage




Used oak
6530 Slate grey, oiled, vintage



Perfect/Classic smoked oak
4900 Raw look, oiled, brushed



Perfect/Classic smoked oak
4480 Mocha brown, oiled, brushed



Lava smoked oak
4900 Raw look, oiled, brushed



Used oak
6510 Tobacco brown, oiled, vintage



Used oak
6560 Terra brown, oiled, vintage

SURFACE SELECTION – AMBIENTE



Classic maroon oak
0400 Transparent, oiled, brushed



Classic maroon oak
4280 Cashmere white, oiled



Lava maroon oak
0400 Transparent, oiled, brushed



Classic maroon oak
4490 Cappuccino, oiled, brushed



Vario larch
0400 Transparent, oiled



Vario larch
1310 White, oiled



Vario larch
7970 Lyed-look white, oiled



AMBIENTE/Classic maroon oak/6700 Cashmere grey/planed






AMBIENTE / Used oak / 6560 Terra brown, oiled / vintage

PRIMUS

A classic single strip plank – with a width of 160 mm. Rustic branches and tree growths are cut away. This makes the PRIMUS plank look less rustic than its “siblings” AMBIENTE or VIALE. In the more quickly

deliverable standard range, the woods oak, ash and walnut are available – cherry tree and Canadian maple are also available on request.



Length: 2 200 mm

Width: 160 mm

Thickness: 15 mm

Woods: Oak, ash, walnut

Gradings: Perfect, Classic, Vario, Lava

Surface structure: brushed

Bevel: Micro-bevel on the long side

Optional:

Cherry tree and Canadian maple woods

Mixed grading

Surface structure: sanded smooth

large bevel on the long side, light bevel on the head end

micro-bevel on the long side, micro-bevel on the head end



PRIMUS/Perfect oak/ 1310 White, oiled/brushed

SURFACE SELECTION – PRIMUS



Perfect oak
0400 Transparent, oiled



Classic oak
0400 Transparent, oiled



Perfect/Classic ash
0400 Transparent, oiled



Classic oak
1310 White, oiled



Perfect/Classic ash
1340 Extra white, oiled



Perfect/Classic ash
2250 Ice grey, oiled



Perfect/Classic ash
2350 Titanium blue/grey, oiled



Perfect walnut
0400 Transparent, oiled



Classic walnut
0400 Transparent, oiled




PRIMUS/Perfect oak/ 1310 White, oiled/brushed


FINO

Herringbone is a classic laying pattern with a long history – and remains a popular trend. It's not hard to see why, as it strikes the perfect balance between elegant and modern. With herringbone parquet, you bring a highly diverse flooring into your home. Choose between classic herringbone (FINO 90) and French

herringbone (FINO 55), also called chevron. With the French herringbone FINO 55, the individual parquet planks are bevelled by 55°, thus forming a straight line when laid. This creates a slightly different look than the rectangular FINO 90 planks, which are laid in an interlocked pattern.



FINO 55



FINO 90



Length: FINO 90: 714 mm, FINO 55: 631 mm

Width: 119 mm

Thickness: 11 mm

Woods: Oak

Surface structure: brushed

Gradings: Perfect, Classic

Bevel: Light bevel on the long side, light bevel on the head end

Joint: Unizip (with FINO 90)

Optional:

Thickness: 15 mm

Wood: walnut

Mixed grading

Surface structure: sanded smooth

no bevel on the long side, no bevel on the head end

micro-bevel on the long side, micro-bevel on the head end




FINO 90 / Perfect smoked oak / 4900 Raw look, oiled / brushed

SURFACE SELECTION – FINO 55 / FINO 90



Classic oak
0400 Transparent, oiled



Perfect oak
4900 Raw look, oiled



Perfect oak
2260 Pearl grey, oiled



Perfect smoked oak
0400 Transparent, oiled




Perfect smoked oak
4900 Raw look, oiled



Classic oak
4020 Walnut brown, oiled



Classic maroon oak
0400 Transparent, oiled



FINO 90 / Perfect smoked oak / 4900 Raw look, oiled / brushed





FINO 90 / Perfect smoked oak / 4900 Raw look, oiled / brushed

UNICA –

The craftsmen collection

Looking for something absolutely extraordinary?
In addition to the variants presented, HAIN also offers individually crafted, high-quality products on request – the so-called UNICA range. For these individual products, we draw on the full repertoire of our manu- factory production. This means that you can blend

separate components from different existing collections in almost any combination! To ensure that your desired combination is definitely technically feasible, we recommend coordinating the options of the UNICA program with your certified HAIN partner.



Lengths: 631 to 7 000 mm

Widths: 119 to 340 mm

Thicknesses: 10 mm to max. 20 mm

Woods: Oak, larch, ash, maple, walnut, cherry tree

Gradings: Perfect, Classic, Classico, Vario, Rustic, Rustico, Used or a mixed grading

Surface structures: brushed, sanded, rough grain, planed, vintage

Bevels: 0 / M / L / X / XL on the long or wide side as shown on page 18





AMBIENTE / Used oak / 6560 Terra brown, oiled / vintage

© 2020 by Hain Natur-Böden GmbH
Colour and structures may differ due to printing conditions.
We reserve the right to make changes.
No responsibility is assumed for errors.

Hain Natur-Böden GmbH
Am Eckfeld 4, 83543 Rott am Inn, Germany
Phone: +49 8039 404-0
Fax: +49 8039 404-169
www.hain.de



980000000A01

09 | 20

